Eastern Health Laboratory Medicine	Section: Management System\EH Laboratories\Client Services\Collection Manual\Patient Instructions\		
	Title: Collecting a 5-HIAA Rando	om Urine	Number: 14043
	Specimen		Version: 3.0
	Effective Date: 10/19/2023	Status: C	Current

# How to Collect a 5-HIAA Random Urine Specimen

Please read all this material **before** you start your urine collection.

Samples not labelled correctly and/or do not have a complete requisition will not be processed.

To ensure correct test results, follow instructions carefully.

## Before Collecting the Random Urine Specimen:

Certain foods and medications can interfere with the test. The following diet and medication restrictions must be followed for <u>72 hours before and during all of the urine</u> <u>collection</u>.

## Avoid all of the following foods and compounds.

Coffee (Caffeine)
Nicotine (smoking)
Banana
Chocolate
Eggplant
Fruit and Juice
Pineapple
Cola drink
Seafoods
Pumpkins

Soy products Seaweed Spinach Liver Melon family Date Kiwi Papaya Grapefruit Prune and Plum Plantain Tomato and tomato-based products Tea Avocado Cantaloupe Nuts (Walnuts, almonds, pecans, pistachios, etc.)

#### Avoid all of the following over-the-counter medications.

ASA (e.g., Aspirin) Acetaminophen (e.g., Tylenol) Cough, Cold and Flu medications Antihistamines

# Ask your doctor whether it is safe for you to stop taking the following prescription medications as they may affect the test results.

Anti-hypertensive drugs Levodopa (L-dopa) Chloral hydrate Dopamine Erythromycin Niacin Phenothiazine Quinidine Quinine Riboflavin Tetracycline MAO inhibitors

#### How to collect the samples:

- Collect the random urine in the clean sterile container provided to you.
- Bring the sample to your local laboratory within 3 hours of collection.

Uncontrolled When Printed

Photocopying controlled documents is prohibited

Page 1 of 1

Documents marked "Uncontrolled" must be validated against the current electronic version prior to each use